CONTENTS

VOLUME 53, NUMBER 1, JANUARY-FEBRUARY 1976

CONTENTS P/	AGE
Biochemical Properties and Ultrastructure of Protein Bodies Isolated from Selected Cereals. C. A. Adams, L. Novellie, and N. v. d. W. Liebenberg	. 1
Breakage of Long-Grain Rice in Relation to Kernel Thickness. J. Matthews and J. J. Spadaro	. 13
Measurement of the Size and Size Distribution of Milled Rice. R. A. Stermer and G. C. Daigger	. 20
A Note on the Relation of Sample Size to Hagberg Falling Number Values. K. A. Tara and G. S. Bains	. 28
Utilization of Iron from Enriched Wheat Bread by Normal and Anemic Rats. J. Miller	
Methyl Bromide Fumigation. I. Effect of High Dosages on Breadmaking Quality and Germination of Wheat. W. Minett, R. A. Orth,	
and L. J. Cook Protein and Amino Acid Compositions of Dry-Milled and Air-Classified Fractions of Triticale Grain. A. C. Stringfellow,	. 41
J. S. Wall, G. L. Donaldson, and R. A. Anderson Kinetics of Batch Drying of Deep-Bed Rough Rice Using Dimensional	
Analysis. R. P. Kachru and R. K. Matthes Correlation of Dough Stickiness with Texturometer Reading and with Various Quality Parameters. G. Noguchi, M. Shinya,	. 61
K. Tanaka, and T. Yoneyama Selection of Iron Sources for Cereal Enrichment. B. N. Harrison.	. 72
G. W. Pla, G. A. Clark, and J. C. Fritz Effect of Chemical Modifications on the Ultrastructure of Corn, Waxy	. 78
Maize, and Tapioca Starches. J. F. Chabot, L. F. Hood, and J. E. Allen	. 85
A New Method of Analysis of Protein Content in Grain by Proton Activation. D. A. Dohan, K. G. Standing, and W. Bushuk	
Differences in Total Lipid and Fatty Acid Composition of Doughnuts as Influenced by Lecithin, Leavening Agent, and	
Use of Frying Fat. D. McComber and E. M. Miller Infrared and Raman Spectra of Maltooligosaccharides. R. Srisuthep, R. Brockman, and J. A. Johnson	
New Techniques for Preparation of Improved Sunflower Protein Concentrates. T. Y. Fan, F. W. Sosulski, and N. W. Hamon	
Short-Time Baking Systems. I. Interdependence of Yeast Concentration, Fermentation Time, Proof Time, and Oxidation Requirement.	
P. L. Finney, C. D. Magoffin, R. C. Hoseney, and K. F. Finney Production of High-Protein Quality Pasta Products Using a Semolina-Corn- Soy Flour Mixture. II. Some Physicochemical Properties of the Untreated and Heat-Treated Corn Flour and of the Mixtures	
Studied. M. R. Molina, I. Mayorga, and R. Bressani Editorial Policy	
Instructions to Authors	. iii
VOLUME 53, NUMBER 2, MARCH-APRIL 1976	
CONTENTS	AGE
An Autoradiographic Demonstration of the Penetration of Water into Wheat during Tempering. N. L. Stenvert and K. Kingswood	141

Mycotoxins in Foodstuffs. VII. Inactivation of Patulin in Whole Wheat	
Bread by Sulfhydryl Compounds. J. Reiss)
Note on a Light Microscope Technique to Preview Specimen Mountings for Scanning	
Electron Microscopy. S.H.C. Lin, B.J. Bax, A. Yang, and C.V. Morr	3
α-Amylase from Immature Hard Red Spring Wheat. I. Purification and Some	
Chemical and Physical Properties. B. Marchylo, J.E. Kruger, and G. N. Irvine 157	7
Barley Starch. VI. A Se.,-Liquefying Waxy Barley Starch. K. J. Goering and	
R. F. Eslick	\$
Properties of Wheat Gliadins Separated by Gel Filtration. K. R. Preston and	_
W. Woodhury	
Chemical Studies on Rice Bran Lipase. B. S. Shastry and M. R. Raghavendra Rao 190)
Changes in the Polyphenol Oxidases of Wheat during Kernel Growth and Maturation.	
J. E. Kruger 201	1
Evaluation of Two Infrared Instruments for Determining Protein Content of Hard Red	
Winter Wheat. C. A. Watson, D. Carville, E. Dikeman, G. Daigger,	
and G. D. Booth	4
Lysine and Tryptophan Increases during Germination of Cereal Grains. A. Dalby	
and C. Y. Tsai	2
Incidence of Aflatoxin in Corn and a Field Method for Aflatoxin Analysis.	
W. H. Hunt, R. C. Semper, and E. B. Liebe	7
Performance of Triticale Flours in Tests for Soft Wheat Quality. L. T. Kissell	
and K. Lorenz	3
Effect of Nitrogen Fertilizer on Nitrogen Fractions of Wheat and Flour.	
KY. Wu and C. E. McDonald	2
Some Chemical and Physical Properties of the Mercuric Chloride-Solubilized Gel Protein	_
from Different Wheat Varieties. E. W. Cole, H. Ng, and D.K. Mecham	0
Fractionation and Quantitative Differences of Glutenin from Wheat Varieties	_
Varying in Baking Quality. F. R. Huebner and J. S. Wall	8
A Kinetic Comparison of Streptomyces Glucose Isomerase in Free Solution and	
Adsorbed on DEAE-Cellulose. N. E. Lloyd and K. Khaleeluddin	0
In Vitro Digestibility of Hydroxypropyl Distarch Phosphate and Unmodified Tapioca	
Starch. L. F. Hood and V. G. Arneson	2
Supplemental Value of Liquid Cyclone Processed Cottonseed Flour on the Proteins of	
Soybean Products and Cereals. C. E. Castro, S. P. Yang, and M. L. Harden 29	1
Erratum (Vol. 52, p. 853, Y. Pomeranz, R. A. Stermer, and E. Dikeman)	
Editorial Policyi	11
VOLUME 53, NUMBER 3, MAY-JUNE 1976	
DAG!	_
CONTENTS	E
Zearalenone: Distribution in Dry-Milled Fractions of Contaminated Corn.	
G. A. Bennett, A. J. Peplinski, O. L. Brekke, L. K. Jackson, and	20
G. A. Bennett, A. J. Peplinski, O. L. Brekke, L. K. Jackson, and W. R. Wichser. 29 Machanical Debrapains of Whole Kernel Wheet, III. Composition Cooking	19
Mechanical Debianning of Whole-Kernel Wheat. III. Composition, Cooking	
Characteristics, and Storage Stability. D. A. Fellers, A. P. Mossman,	
P. H. Johnston, and E. L. Wheeler	08
The Liquid Phase of Dough and Its Role in Baking. F. MacRitchie	18
Changes in Starch Granule Size and Amylose Percentage during Kernel	
Development in Several Zea Mays L. Genotypes. C. D. Boyer, J. C. Shannon,	
D. L. Garwood, and R. G. Creech	27
Gas Pressure-Volume-Time Relationships in Fermenting Doughs. I. Rate of	
Production and Solubility of Carbon Dioxide in Dough. G. E. Hibberd	
and N. S. Parker	38
Water-Soluble Pentosans of Wheat Flour. III. Effect of Water-Soluble	
Pentosans on Loaf Volume of Reconstituted Gluten and Starch Doughs.	
S. K. Patil, K. F. Finney, M. D. Shogren, and C. C. Tsen	47

Starches of Endosperms Possessing Different Alleles at the Amylose-Extender	
Locus in Zea Mays L. D. L. Garwood, J. C. Shannon, and R. G. Creech	355
Studies on Kenkey with Particular Reference to Calcium and Phytic Acid.	
B. Amoa and H. G. Muller	365
Storage Stability of Protein-Fortified Flour Blend A Containing Sodium Stearoyl-2-Lactylate. M. M. Bean, D. K. Mecham, M. M. Hanamoto, and A. P. Mossm	
Effects of Solvent Extraction on Lipid Composition, Mixing Time, and	
Bread Loaf Volume. K. F. Finney, Y. Pomeranz, and R. C. Hoseney	383
Bread-Baking Properties of Cottonseed Protein Concentrates Prepared from Solvent-Extracted Glandless Cottonseed Flour. M. N. Khan, J. T. Lawhon,	
L. W. Rooney, and C. M. Cater	388
M. M. Bean, M. M. Hanamoto, D. K. Mecham, D. G. Guadagni, and D. A. Fellers	397
Soy-Fortified Wheat-Flour Blends. III. Storage Stability of Ingredients and Incomplete Blends. D. K. Mecham, M. M. Hanamoto, M. M. Bean, D. A. Fellers,	
and D. G. Guadagni	405
Uncooked Grain Corn as a Source of Iron for Normal and Anemic Rats. J. Miller Effect of Mushroom Extract on the Physical Properties of Dough.	
T. Kuninori, J. Nishiyama, and H. Matsumoto	420
Influence of Wheat Cultivars and Environment on Agtron Values and Flour Ash. W. C. Shuey	429
Gelation Parameters of Enzymatically Modified Soy Protein Isolates. A. Pour-El and T. S. Swenson	
Erratum (Vol. 53, p. 44, W. Minett, R. A. Orth, and L. J. Cook)	456
VOLUME 53, NUMBER 4, JULY-AUGUST 1976	
CONTENTS	AGE
Barbardar Fasinananh Bararah Futananatar and Uilliff Chanatti Barara	
Brabender Farinograph, Research Extensometer, and Hilliff Chapatti Press as Tools for Standardization and Objective Assessment of Chapatti Dough.	467
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi	. 457
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality.	
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer	
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney,	. 469
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady	. 469
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi. The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hennandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A.	. 469
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler	. 469
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi. The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer. Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World	. 469
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock,	. 469 . 478 . 488
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with	. 469 . 478 . 488
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi. The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest, E. B. Lillehoi, W. F. Kwolek, R. E.	. 469 . 478 . 488
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A.	. 469 . 478 . 488 . 497
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci	. 469 . 478 . 488 . 497
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi. The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer. Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C.	. 469 . 478 . 488 . 497 . 505 . 513
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi. The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer. Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler. Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C. Shuey	. 469 . 478 . 488 . 497 . 505 . 513
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Allatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C. Shuey Effect of Some Wheat Mill-Fractions on Blood and Liver Lipids in Cholesterol-	. 469 . 478 . 488 . 497 . 505 . 513
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi. The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer. Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C. Shuey Effect of Some Wheat Mill-Fractions on Blood and Liver Lipids in Cholesterol- Fed Rats. G. S. Ranhotra, R. J. Loewe, and L. V. Puyat Removal of Pigment Glands (Gossypol) from Cottonseed, H. K. Gardner, Jr.	. 469 . 478 . 488 . 497 . 505 . 513 . 525
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi. The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer. Pearl Millet. I. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Aflatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C. Shuey Effect of Some Wheat Mill-Fractions on Blood and Liver Lipids in Cholesterol- Fed Rats. G. S. Ranhotra, R. J. Loewe, and L. V. Puyat Removal of Pigment Glands (Gossypol) from Cottonseed, H. K. Gardner, Jr.	. 469 . 478 . 488 . 497 . 505 . 513 . 525
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Allatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C. Shuey Effect of Some Wheat Mill-Fractions on Blood and Liver Lipids in Cholesterol- Fed Rats. G. S. Ranhotra, R. J. Loewe, and L. V. Puyat Removal of Pigment Glands (Gossypol) from Cottonseed. H. K. Gardner, Jr., R. H. Hron, Sr., and H. L. E. Vix Effect of Type of Fat on Starch Pastes Containing Glycerol Monostearate.	. 469 . 478 . 488 . 497 . 505 . 513 . 525 . 540
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Allatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C. Shuey Effect of Some Wheat Mill-Fractions on Blood and Liver Lipids in Cholesterol- Fed Rats. G. S. Ranhotra, R. J. Loewe, and L. V. Puyat Removal of Pigment Glands (Gossypol) from Cottonseed. H. K. Gardner, Jr., R. H. Hron, Sr., and H. L. E. Vix Effect of Type of Fat on Starch Pastes Containing Glycerol Monostearate. F. T. Orthoefer	. 469 . 478 . 488 . 497 . 505 . 513 . 525 . 540
Tools for Standardization and Objective Assessment of Chapatti Dough. S. R. Shurpalekar and C. Prabhavathi The Relation of Wheat Nitrate Reductase and Soil Nitrate to Flour Quality. D. E. Walsh, H. H. Hernandez, and A. Bauer Pearl Millet. 1. Characterization by SEM, Amino Acid Analysis, Lipid Composition, and Prolamine Solubility. S. M. Badi, R. C. Hoseney, and A. J. Casady Rice Bran Protein Concentrates Obtained by Wet Alkaline Extraction. M. A. Connor, R. M. Saunders, and G. O. Kohler Protein Content and Amino Acid Composition of Barleys from the World Collection. Y. Pomeranz, G. S. Robbins, R. T. Smith, J. C. Craddock, J. T. Gilbertson, and J. G. Moseman Allatoxin Contamination, Fluorescence, and Insect Damage in Corn Infected with Aspergillus flavus before Harvest. E. B. Lillehoj, W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine Binding of Phytic Acid to Glycinin. K. Okubo, D. V. Myers, and G. A. lacobucci Baking Studies on the Pin-Milled and Air-Classified Flour from Four Hard Red Spring Wheat Varieties. M. Hayashi, B. L. D'Appolonia, and W. C. Shuey Effect of Some Wheat Mill-Fractions on Blood and Liver Lipids in Cholesterol- Fed Rats. G. S. Ranhotra, R. J. Loewe, and L. V. Puyat Removal of Pigment Glands (Gossypol) from Cottonseed. H. K. Gardner, Jr., R. H. Hron, Sr., and H. L. E. Vix Effect of Type of Fat on Starch Pastes Containing Glycerol Monostearate.	. 469 . 478 . 488 . 497 . 505 . 513 . 525 . 540 . 549

Cultivars. Y. Pomeranz, N. N. Standridge, E. A. Hockett, D. M. Wesenberg,	
and G. D. Booth	574
Various Peanut (Arachis hypogaea L.) Cultivars. S. M. M. Basha, J. P. Cherry,	£0.6
Note on Seed Coat Effects on Color and Flavor of Fababean Flours. E. Hoehn,	586
M. Vaisey, and A. F. Medeiros	
Hemicellulose B. G. R. Woolard, L. Novellie, and S. J. Van Der Walt	
Ultracentrifugation. D. R. Goforth and K. F. Finney Communication to the Editor. Absence of Carbohydrate in Celiac-Toxic A-Gliadin. J. E. Bernardin, R. M. Saunders, and D. D. Kasarda	
VOLUME 53, NUMBER 5, SEPTEMBER-OCTOBER 1976	
CONTENTS	GE
Improved Sucrose Esters in Breadmaking. O. K. Chung, Y. Pomeranz,	
Development of a Yeast-Leavened Rice-Bread Formula. K. D. Nishita.	615
R. L. Roberts, M. M. Bean, and B. M. Kennedy Studies on the Breadmaking Properties of Wheat-Flour Nonpolar Lipids. V. A. DeStefanis and J. G. Ponte, Jr.	
The Rice Scutellum: Studies by Scanning Electron Microscopy and Electron Microprobe X-Ray Analysis. K. Tanaka, M. Ogawa,	
and Z. Kasai A Review of Methodology for Emulsification Properties of	
Plant Proteins. G. Puski Heat-Moisture Effects on Wheat Flour. II. An Evaluation Study of Heat- Processing Effects on Flour Proteins by Digestive Enzymes—Pepsin,	050
Trypsin, and Trypsin-Carboxypeptidase-B. L. Hansen and P. Johnston	656
The Effects of Dough Formation and Baking on Iron Enrichment of Bread as Studied by Electron Paramagnetic Resonance. J. J. Windle, C. C. Nimmo,	
and Ellen JL. Lew Effect of Substituting Glucose for Sucrose in Baked, Wheat-Flour Based Diets	671
on Growth and Liver Composition of Rats. D. R. Landes and J. Miller Mineral Composition of Developing Wheat, Rye, and Triticale. K. Lorenz	678
and F. W. Reuter Physical Properties and Biological Evaluation of High-Lysine Maize. P. Van	683
Twisk, G. V. Quicke, and H. O. Gevers Studies on Corn Proteins. IX. Comparison of the Amino Acid Composition of	692
Landry-Moureaux and Paulis-Wall Endosperm Fractions. P. S. Misra, E. T. Mertz, and D. V. Glover	699
Studies on Corn Proteins. X. Polypeptide Molecular-Weight Distribution in Landry-Moureaux Fractions of Normal and Mutant Endosperms. P. S. Misra, E. T. Mertz, and D. V. Glover	705
Comparison of Bran and Endosperm Pentosans in Immature and Mature Wheat. B. L. D'Appolonia and L. A. MacArthur	711
Pearl Millet. II. Partial Characterization of Starch and Use of Millet Flour in Breadmaking. S. M. Badi, R. C. Hoseney, and P. L. Finney	711
A Model Substance and Improved Control of Heating for Moisture Analysis of Cereals. Y. Malkki and M. Salminen	
Use of Sorghum and Pearl Millet Flours in Cookies. S. M. Badi and R. C. Hoseney	

The Chemical, Functional, and Nutritional Characterization of Protein Concentrates from Distiller's Grains. L. D. Satterlee, D. M. Vavak, R. Abdul-Kadir,	
and J. G. Kendrick	. 739
Comparative Studies of Protein and Amino Acid Changes in Peanuts Infected with Neurospora sitophila and Rhizopus oligosporus. J. P. Cherry and L. R. Beuchat	750
Changes in Barley Peroxidase Activity during Kernel Development. D. E. LaBerge and J. E. Kruger	
A Note on Carbohydrates in the 11S Globulin of Soybean Seeds. I. Koshiyama and D. Fukushima	
Bioavailability of Magnesium from Wheat Flour and Various Organic and Inorganic Salts. G. S. Ranhotra, R. J. Loewe, and L. V. Puyat	
Physicochemical Characterization of Barley Lipoxygenase. E. C. Lulai and C. W. Baker	777
Nonfat Dry Milk Fractions in Breadmaking. I. Effect on Loaf Volume. R. S. Ling, R. C. Hoseney, and P. L. Finney A Note on the Formation of α-Amylase in De-embryonated Barley Kernels.	787
A. W. MacGregor	792
A Note on the Semiautomated Determination of Catalase in Wheat. J. E. Kruger A Note on an Improved Method of Analysis for Determining Fat Acidity in	796
Corn Grits. R. E. Schulze Communication to the Editor. Relation between Ash and Protein Contents of Flour Mill Streams Determined with the InfraAlyzer and by Standard	801
Approved Methods. C. A. Watson, Gloria Etchevers, and W. C. Shuey Albumin α-Amylase Inhibitor Families from Wheat Flour, R. DePonte, R. Parlamenti,	803
T. Petrucci, V. Silano, and M. Tomasi Erratum (Vol. 53, p. 610, D. R. Goforth and K. F. Finney)	
VOLUME 53, NUMBER 6, NOVEMBER-DECEMBER 1976	
	AGE
	AGE
CONTENTS PA Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time	
CONTENTS Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I.	
CONTENTS Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa	. 821
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike.	. 821
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers,	. 821 . 829 . 839
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz	. 821 . 829 . 839
CONTENTS Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz Improved Shelf-Life at Room Temperature of Canned Rice Modified by Cross- Linking, J. E. Rutledge and M. N. Islam	. 821 . 829 . 839 . 846 . 853
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz Improved Shelf-Life at Room Temperature of Canned Rice Modified by Cross- Linking, J. E. Rutledge and M. N. Islam The Phytic Acid-Total Phosphorus Relationship in Barley, Oats, Soybeans, and Wheat. G. M. Lolas, N. Palamidis, and P. Markakis	. 821 . 829 . 839 . 846 . 853
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz Improved Shelf-Life at Room Temperature of Canned Rice Modified by Cross-Linking. J. E. Rutledge and M. N. Islam The Phytic Acid-Total Phosphorus Relationship in Barley, Oats, Soybeans,	. 821 . 829 . 839 . 846 . 853 . 862
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz Improved Shelf-Life at Room Temperature of Canned Rice Modified by Cross- Linking, J. E. Rutledge and M. N. Islam The Phytic Acid-Total Phosphorus Relationship in Barley, Oats, Soybeans, and Wheat. G. M. Lolas, N. Palamidis, and P. Markakis Note on a Simplified Procedure for the Purification of Wheat-Flour Pentosans. S. K. Kim and B. L. D'Appolonia Composition of Invertases from Germinated Barley. N. Prentice and G. S. Robbins Determination of Azodicarbonamide in Wheat Flour. E. D. Weak, R. C. Hoseney,	. 821 . 829 . 839 . 846 . 853 . 862 . 867 . 871
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz Improved Shelf-Life at Room Temperature of Canned Rice Modified by Cross- Linking, J. E. Rutledge and M. N. Islam The Phytic Acid-Total Phosphorus Relationship in Barley, Oats, Soybeans, and Wheat. G. M. Lolas, N. Palamidis, and P. Markakis Note on a Simplified Procedure for the Purification of Wheat-Flour Pentosans. S. K. Kim and B. L. D'Appolonia Composition of Invertases from Germinated Barley, N. Prentice and G. S. Robbins Determination of Azodicarbonamide in Wheat Flour. E. D. Weak, R. C. Hoseney, and P. A. Seib	. 821 . 829 . 839 . 846 . 853 . 862 . 867 . 871
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz Improved Shelf-Life at Room Temperature of Canned Rice Modified by Cross- Linking, J. E. Rutledge and M. N. Islam The Phytic Acid-Total Phosphorus Relationship in Barley, Oats, Soybeans, and Wheat. G. M. Lolas, N. Palamidis, and P. Markakis Note on a Simplified Procedure for the Purification of Wheat-Flour Pentosans. S. K. Kim and B. L. D'Appolonia Composition of Invertases from Germinated Barley, N. Prentice and G. S. Robbins Determination of Azodicarbonamide in Wheat Flour. E. D. Weak, R. C. Hoseney, and P. A. Seib Endosperm Protein Formation during Kernel Development of Wild Type and a High-Lysine Barley Mutant. A. Brandt	. 821 . 829 . 839 . 846 . 853 . 862 . 867 . 871 . 874
Calorimetric Studies on the Swelling of Rice. II. Effect of Storage Time on Heat of Swelling. T. Kanemitsu and K. Miyagawa Dehulling Cereal Grains and Grain Legumes for Developing Countries. I. Quantitative Comparison between Attrition- and Abrasive-Type Mills. R. D. Reichert and C. G. Youngs Amino Acid Composition of Barley Kernels from Different Parts of the Spike. Y. Pomeranz, D. M. Wesenberg, R. T. Smith, G. S. Robbins, and J. T. Gilbertson A Method For Instrumental Measurement of Barley Color. G. G. Etchevers, O. J. Banasik, and C. A. Watson The Vitamins of Triticale, Wheat, and Rye. P. Michela and K. Lorenz Improved Shelf-Life at Room Temperature of Canned Rice Modified by Cross- Linking. J. E. Rutledge and M. N. Islam The Phytic Acid-Total Phosphorus Relationship in Barley, Oats, Soybeans, and Wheat. G. M. Lolas, N. Palamidis, and P. Markakis Note on a Simplified Procedure for the Purification of Wheat-Flour Pentosans. S. K. Kim and B. L. D'Appolonia Composition of Invertases from Germinated Barley. N. Prentice and G. S. Robbins Determination of Azodicarbonamide in Wheat Flour. E. D. Weak, R. C. Hoseney, and P. A. Seib Endosperm Protein Formation during Kernel Development of Wild Type and a	. 821 . 829 . 839 . 846 . 853 . 862 . 867 . 871 . 874

The Carbohydrates of Various Pin-Milled and Air-Classified Flour Streams. I. Sugar Analyses. L. A. MacArthur and B. L. D'Appolonia Air Classification of Field Peas and Horsebean Flours: Chemical Studies	916
of Starch and Protein Fractions. J. R. Vose, M. J. Basterrechea, P. A. J. Gorin, A. J. Finlayson, and C. G. Youngs	928
Iron Enrichment of Dry-Milled Corn Products. R. A. Anderson, C. Vojnovich, and G. N. Bookwalter	937
Note on Protein Distribution within Oat Kernels of Single Cultivars that Differ in Protein Concentration. V. L. Youngs and K. D. Gilchrist	947
Wild Rice: Nutritional Review. R. A. Anderson	
Classifying Malt by Sieving and Air Centrifuging-Elutriating Techniques. Y. Pomeranz, K. F. Finney, L. C. Bolte, and M. D. Shogren	956
Note on Vitamins and Trace Elements in Feeds Derived from the Wet-Milling of Corn. R. A. Reiners and D. W. Howland	
A Comparison of the Carbohydrate Composition of Legume Seeds: Horsebeans, Peas, and Lupines. <i>Jutta Cerning-Beroard and Aliette Filiatre</i>	
A Note on the Characterization of Cryomilled Wheat Flour by Scanning Electron	
Microscopy. L. T. Fan, K. H. Hsu, and T. Kobayashi	979
and M. N. Islam	982
Quality Characteristics of Soft Wheats and Their Use in Japan. I. Methods of Assessing Wheat Suitability for Japanese Products. S. Nagao, S. Imai, T. Sato,	
Y. Kaneko, and H. Otsubo Effects of Interactions among Flour Lipids, Other Flour Fractions, and Water	988
on Cookie Quality. W. T. Yamazaki and J. R. Donelson Author Index, Vol. 53	
Subject Index, Vol. 53	1012
Contents Index, Vol. 53	1021

network. If this action could take place among isolated gluten fractions in a sugar solution (and some preliminary work shows this to be possible), then gluten perhaps could form a network that gives structure to cookies. Such a possibility may explain why both unfractionated flour and fractionated components can form a good cookie structure under appropriate conditions.

The formation of normal cookies from a dry blend of fractions may result, in part, from the effect of the lipids on all the components, not only on the dry fraction to which they were applied. Kissell et al. (2) showed that normal cookies could be produced whether the lipids were added to the shortening phase of the cookie mix or added directly to the extracted flour. Thus, lipids added to the dried fractions appear to be taken up by the shortening in the cookie dough during the mixing stage and redistributed so that the functionality of the lipids as surfactant would be extended to all the fractions.

Literature Cited

- COLE, E. W., MECHAM, D. K., and PENCE, J. W. Effect of flour lipid and some lipid derivatives on cookie-baking characteristics of lipid-free flours. Cereal Chem. 37: 109 (1960).
- KISSELL, L. T., POMERANZ, Y., and YAMAZAKI, W. T. Effects of flour lipids on cookie quality. Cereal Chem. 48: 655 (1971).
- YAMAZAKI, W. T. The concentration of a factor in soft wheat flours affecting cookie quality. Cereal Chem. 32: 28 (1955).
- SOLLARS, W. F. Evaluation of flour fractions for their importance to cookie quality. Cereal Chem. 33: 121 (1956).
- FINNEY, K. F., MORRIS, V. H., and YAMAZAKI, W. T. Micro versus macro cookie baking procedures for evaluating the cookie quality of wheat varieties. Cereal Chem. 27: 42 (1950).
- OLCOTT, H. S., and MECHAM, D. K. Characterization of wheat gluten. I. Protein-lipid complex formation during doughing of flours. Lipoprotein nature of the glutenin fraction. Cereal Chem. 24: 407 (1947).
- BERNARDIN, J. E., and KASARDA, D. D. Hydrated protein fibrils from wheat endosperm. Cereal Chem. 50: 529 (1973).

[Received March 1, 1976. Accepted May 3, 1976]

INDEX TO VOLUME 53

AUTHOR INDEX

Addul-Kadir, R. (see L. D. Satterlee) 739	
Adams, C. A., L. Novellie, and N. v. d. W.	
Liebenberg. Biochemical properties and	
ultrastructure of protein bodies isolated	
from selected cereals 1	
Allen, J. E. (see J. F. Chabot) 85	
Amoa, B., and H. G. Muller. Studies on	
kenkey with particular reference to calcium	
and phytic acid	
Anderson, R. A. Wild rice: Nutritional	
review 949	
, C. Vojnovich, and G. N. Book-	
walter. Iron enrichment of dry-milled corn	
products	
(see A. C. Stringfellow) 51	
Arneson, V. G. (see L. F. Hood) 282	
Allieson, V. O. (See E. 1. 1100a)	
Badi, S. M., and R. C. Hoseney. Use of	
sorghum and pearl millet flours in	
cookies	
,, and A. J. Casady.	
Pearl millet. I. Characterization by SEM,	
amino acid analysis, lipid composition, and	
prolamine solubility 478	
Pearl millet. II. Partial characterization of	
starch and use of millet flour in bread-	
making 718	
Bains, G. S. (see K. A. Tara) 28	
Baker, C. W. (see E. C. Lulai) 777	
Banasik, O. J. (see G. G. Etchevers) 846	
Basha, S. M. M., J. P. Cherry, and C. T.	
Young. Changes in free amino acids,	
carbohydrates, and proteins of maturing	
carbonydrates, and proteins of maturing	
seeds from various peanut (Arachis	
hypogaea L.) cultivars 586	
Basterrechea, M. J. (see J. R. Vose) 928	
Bauer, A. (see D. E. Walsh) 469	
Bax, B. J. (see S. H. C. Lin) 153	
Bean, M. M., M. M. Hanamoto, D. K.	
Mecham, D. G. Guadagni, and D. A.	
Fellers. Soy-fortified wheat-flour blends. II.	
Storage stability of complete blends . 397	
, D. K. Mecham, M. M.	
Hanamoto, and A. P. Mossman. Storage	
stability of protein-fortified blend A	
containing sodium stearoyl-2-lactylate	
376	
(see D. K. Mecham) 405	
(see K. D. Nishita) 626	
Bennett, G. A., A. J. Peplinski, O. L. Brekke,	
L. K. Jackson, and W. R. Wichser. Zearale-	
none: Distribution in dry-milled fractions of	
contaminated corn	

Bernardin, J. E., R. M. Saunders, and D. D.		
Kasarda. Communication to the editor.		
Absence of carbohydrate in celiac-toxic A-		
gliadin 612		
Beuchat, L. R. (see J. P. Cherry) 750		
Bolte, L. C. (see Y. Pomeranz) 956		
Bookwalter, G. N. (see R. A. Anderson)		
937		
Booth, G. D. (see Y. Pomeranz) 574		
(see C. A. Watson) 214		
Boyer, C. D., J. C. Shannon, D. L. Garwood,		
and R. G. Creech. Changes in starch granule		
size and amylose percentage during kernel		
development in several Zea mays L.		
genotypes		
Brandt, A. Endosperm protein formation dur-		
ing kernel development of wild type and a		
high-lysine barley mutant 890		
Brekke, O. L. (see G. A. Bennett) 299		
Bressani, R. (see M. R. Molina) 134		
Brockman, R. (see R. Srisuthep) 110		
Bushuk, W. (see D. A. Dohan) 91		
(see K. Khan) 566		
, , , , , , , , , , , , , , , , , , , ,		
Carville, D. (see C. A. Watson) 214		
Casady, A. J. (see S. M. Badi) 478		
Castro, C. E., S. P. Yang, and M. L. Harden.		
Supplemental value of liquid cyclone		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan) 388		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan) 388 Cerning-Beroard, Jutta, and Aliette Filiatre. A		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan) 388 Cerning-Beroard, Jutta, and Aliette Filiatre. A comparison of the carbohydrate		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan)		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan) 388 Cerning-Beroard, Jutta, and Aliette Filiatre. A comparison of the carbohydrate composition of legume seeds: Horsebeans, peas, and lupines 968		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan) 388 Cerning-Beroard, Jutta, and Aliette Filiatre. A comparison of the carbohydrate composition of legume seeds: Horsebeans, peas, and lupines 968 Chabot, J. F., L. F. Hood, and J. E. Allen.		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan) 388 Cerning-Beroard, Jutta, and Aliette Filiatre. A comparison of the carbohydrate composition of legume seeds: Horsebeans, peas, and lupines		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals 291 Cater, C. M. (see M. N. Khan) 388 Cerning-Beroard, Jutta, and Aliette Filiatre. A comparison of the carbohydrate composition of legume seeds: Horsebeans, peas, and lupines		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		
Supplemental value of liquid cyclone processed cottonseed flour on the proteins of soybean products and cereals		

Cook, L. J. (see W. Minett) 41 Craddock, J. C. (see Y. Pomeranz) 497 Creech, R. G. (see C. D. Boyer) 327 (see D. L. Garwood) 355	Filiatre, Aliette (see Jutta Cerning- Beroard)
Daigger, G. C. (see R. A. Stermer) 20 (see C. A. Watson) 214 Dalby, A., and C. Y. Tsai. Lysine and tryptophan increases during germination of	loaf volume
Cereal grains	(see Y. Pomeranz)
nonpolar lipids	Gardner, H. K., Jr., R. H. Hron, Sr., and H. L. E. Vix. Removal of pigment gland: (gossypol) from cottonseed 549 Garwood, D. L., J. C. Shannon, and R. G. Creech. Starches of endosperms possessing different alleles at the amylose-extended locus in Zea mays L
Eslick, R. F. (see K. J. Goering) 174 Etchevers, G. G., O. J. Banasik, and C. A. Watson. A method for instrumental measurement of barley color 846 — (see C. A. Watson) 803	Glover, D. V. (see P. S. Misra) 699, 70: Goering, K. J., and R. F. Eslick. Barley starch VI. A self-liquefying waxy barley starch 17- Goforth, D. R., and K. F. Finney Communication to the editor. Separation o glutenin from gliadin by ultracentrifuga- tion
Fan, L. T., K. H. Hsu, and T. Kobayashi. A note on the characterization of cryomilled wheat flour by scanning electron microscopy	(see O. K. Chung) 61: Gorin, P. A. J. (see J. R. Vose)
Fan, T. Y., F. W. Sosulski, and N. W. Hamon. New techniques for preparation of improved sunflower protein concentrates	Hamon, N. W. (see T. Y. Fan)

Harden, M. L. (see C. E. Castro) 291 Harrison, B. N., G. W. Pla, G. A. Clark, and J. C. Fritz. Selection of iron sources for cereal enrichment 78 Hayashi, M., B. L. D'Appolonia, and W. C. Shuey. Baking studies on the pin-milled and air-classified flour from four hard red spring wheat varieties 525 Hernandez, H. H. (see D. E. Walsh) 469 Hesseltine, C. W. (see E. B. Lillehoj) 505 Hibberd, G. E., and N. S. Parker. Gaspressure-volume-time relationships in fermenting doughs. I. Rate of production and solubility of carbon dioxide in dough 338 Hockett, E. A. (see Y. Pomeranz) 574 Hoehn, E., M. Vaisey, and A. F. Medeiros. Note on seed coat effects on color and flavor of fababean flours 597 Hood, L. F., and V. G. Arneson. In vitro digestibility of hydroxypropyl distarch phosphate and unmodified tapioca starch 282 Hoseney, R. C. (see S. M. Badi) 478, 718, 733 (see K. F. Finney) 383 (see P. L. Finney) 383 (see R. S. Ling) 787 (see E. D. Weak) 881 Howland, D. W. (see R. A. Reiners) 964 Hron, R. H. Sr. (see H. K. Gardner, Jr.) 549 Hsu, K. H. (see L. T. Fan) 979 Huebner, F. R., and J. S. Wall. Fractionation and quantitative differences of glutenin from wheat varieties varying in baking quality 258 Hunt, W. H., R. C. Semper, and E. B. Liebe. Incidence of aflatoxin in corn and a field method for aflatoxin analysis 227	dimensional analysis
method for anatoxin analysis	the physical properties of dough 420 Kwolek, W. F. (see E. B. Lillehoj) 505
Iacobucci, G. A. (see K. Okubo) 513 Imai, S. (see S. Nagao) 988 Irvine, G. N. (see B. Marchylo) 157 Islam, M. N. (see J. E. Rutledge) 862, 982	LaBerge, D. E., and J. E. Kruger. Changes in barley peroxidase activity during kernel development
Jackson, L. K. (see G. A. Bennett) 299 Johnson, J. A. (see R. Srisuthep) 110 Johnston, P. H. (see D. A. Fellers) 308 (see L. Hansen) 656	Landes, D. R., and J. Miller. Effect of substituting glucose for sucrose in baked, wheat-flour based diets on growth and liver composition of rats
Kachru, R. P., and R. K. Matthes. Kinetics of batch drying of deep-bed rough rice using	Lillehoj, E. B., W. F. Kwolek, R. E. Peterson, O. L. Shotwell, and C. W. Hesseltine.

Aflatoxin contamination, fluorescence, and insect damage in corn infected with Aspergillus flavus before harvest 505	McDonald, C. E. (see KY. Wu) 242 Mecham, D. K., M. M. Hanamoto, M. M.
Lin, S. H. C., B. J. Bax, A. Yang, and C. V. Morr. Note on a light microscope technique to preview specimen mountings for scanning	Bean, D. A. Fellers, and D. G. Guadagni. Soy-fortified wheat-flour blends. III. Storage stability of ingredients and
electron microscopy	incomplete blends 405
Ling, R. S., R. C. Hoseney, and P. L. Finney. Nonfat dry milk fractions in breadmaking. I. Effect on loaf volume	(see M. M. Bean) 376, 397 (see E. W. Cole) 250 Medeiros, A. F. (see E. Hochn) 597
Lloyd, N. E., and K. Khaleeluddin. A kinetic comparison of <i>Streptomyces</i> glucose	Mertz, E. T. (see P. S. Misra) 699, 705
isomerase in free solution and adsorbed on DEAE-cellulose	Michela, P., and K. Lorenz. The vitamins of triticale, wheat, and rye 853
Loewe, R. J. (see G. S. Ranhotra). 540, 770 Lolas, G. M., N. Palamidis, and P. Markakis. The phytic acid-total phosphorus relation- ship in barley, oats, soybeans, and	Miller, E. M. (see D. McComber) 101 Miller, J. Utilization of iron from enriched wheat bread by normal and anemic rats
wheat	of iron for normal and anemic rats 413
composition of developing wheat, rye, and triticale	Minett, W., R. A. Orth, and L. J. Cook.
	Methyl bromide fumigation. I. Effect of high dosages on breadmaking quality and germination of wheat
cal characterization of barley lipoxygen- ase	Misra, R. S., E. T. Mertz, and D. V. Glover. Studies on corn proteins. IX. Comparison of the amino acid composition of Landry- Moureaux and Paulis-Wall endosperm
Market V A and B V Bytandada	fractions
MacArthur, L. A., and B. L. D'Appolonia. The carbohydrates of various pin-milled and airclassified flour streams. I. Sugar analyses	Studies on corn proteins. X. Polypeptide molecular-weight distribution in Landry- Moureaux fractions of normal and mutant
(see B. L. D'Appolonia) 711	endosperms
MacGregor, A. W. A note on the formation of α -amylase in de-embryonated barley	Molina, M. R., I. Mayorga, and R. Bressani. Production of high-protein quality pasta
MacRitchie, F. The liquid phase of dough and	products using a semolina-corn-soy flour mixture. II. Some physicochemical
its role in baking	properties of the untreated and heat-treated corn flour and of the mixtures studied
Mälkki, Y., and M. Salminen. A model substance and improved control of heating	Morr, C. V. (see S. H. C. Lin) 153
for moisture analysis of cereals 725	Moseman, J. G. (see Y. Pomeranz) 497
Marchylo, B., J. E. Kruger, and G. N. Irvine. α-Amylase from immature hard red spring wheat. I. Purification and some	Mossman, A. P. (see M. M. Bean) 376
chemical and physical properties 157	Myers, D. V. (see K. Okubo) 513
Markakis, P. (see G. M. Lolas)	
Matthews, J., and J. J. Spadaro. Breakage of	Nagao, S., S. Imai, T. Sato, Y. Kaneko, and H.
long-grain rice in relation to kernel thickness	Otsubo. Quality characteristics of soft wheats and their use in Japan. I. Methods of
Mayorga, I. (see M. R. Molina) 134	assessing wheat suitability for Japanese
McComber, D., and E. M. Miller. Differences in total lipid and fatty acid composition of	products
doughnuts as influenced by lecithin, leavening agent, and use of frying fat	Nimmo, C. C. (see J. J. Windle) 671 Nishita, K. D., R. L. Roberts, M. M. Bean,

and B. M. Kennedy. Development of a yeast-leavened rice-bread formula 626 Nishiyama, J. (see T. Kuninori)	Prentice, N., and G. S. Robbins. Composition of invertases from germinated barley. 874 Preston, K. R., and W. Woodbury. Properties of wheat gliadins separated by gel filtration
Ogawa, M. (see K. Tanaka)	Quicke, G. V. (see P. Van Twisk) 692
Orth, R. A. (see W. Minett) 41 Orthoefer, F. T. Effect of type of fat on starch pastes containing glycerol mono-	Raghavendra Rao, M. R. (see B. S. Shastry)
stearate 549 Otsubo, H. (see S. Nagao) 988	Effect of some wheat mill-fractions on blood and liver lipids in cholesterol-fed rats
Delegaldia N. (con C. M. Labo) 967	,, and
Palamidis, N. (see G. M. Lolas) 867 Parker, N. S. (see G. E. Hibberd) 338	Bioavailability of magnesium from wheat
Parlamenti, R. (see R. DePonte) 805	flour and various organic and inorganic
Patil, S. K., K. F. Finney, M. D. Shogren, and	salts
C. C. Tsen. Water-soluble pentosans of	Reichert, R. D., and C. G. Youngs. Dehulling
wheat flour. III. Effect of water-soluble	cereal grains and grain legumes for
pentosans on loaf volume of reconstituted	developing countries. I. Quantitative
gluten and starch doughs 347	comparison between attrition- and abrasive-
Peplinski, A. J. (see G. A. Bennett) 299	Reiners, R. A., and D. W. Howland. Note on
Peterson, R. E. (see E. B. Lillehoj) 505	vitamins and trace elements in feeds derived
Petrucci, T. (see R. DePonte) 805	from the wet-milling of corn 964
Pla, G. W. (see B. N. Harrison) 78 Pomeranz, Y., K. F. Finney, L. C. Bolte, and	Reiss, J. Mycotoxins in foodstuffs. VII. In-
M. D. Shogren. Classifying malt by sieving	activation of patulin in whole wheat bread
and air centrifuging-elutriating	by sulfhydryl compounds 150
techniques 956	Reuter, F. W. (see K. Lorenz) 683
, G. S. Robbins, R. T. Smith, J. C.	Robbins, G. S. (see Y. Pomeranz). 497, 839 ———————————————————————————————————
Craddock, J. T. Gilbertson, and J. G.	Roberts, R. L. (see K. D. Nishita) 626
Moseman. Protein content and amino acid	Rooney, L. W. (see M. N. Khan) 388
composition of barleys from the world collection	Rutledge, J. E., and M. N. Islam. Improved
, N. N. Standridge, E. A. Hockett,	shelf-life at room temperature of canned rice
D. M. Wesenberg, and G. D. Booth. Effects	modified by cross-linking 862
of nitrogen fertilizer on malting quality of	moisture canning of rice—effects of
widely varying barley cultivars 574	cross-linking
G. S. Robbins, and J. T. Gilbertson. Amino	
acid composition of barley kernels from	
different parts of the spike 839	
(see O. K. Chung) 615	Salminen, M. (see Y. Mälkki) 988
(see K. F. Finney) 383	Sato, T. (see S. Nagao) 988
Ponte, J. G., Jr. (see V. A. DeStefanis)	Satterlee, L. D., D. M. Vavak, R. Abdul-
Pour-El, A., and T. S. Swenson. Gelation	Kadir, and J. G. Kendrick. The chemical, functional, and nutritional characteriza-
parameters of enzymatically modified soy	tion of protein concentrates from distiller's
protein isolates	grains 739
Prabhavathi, C. (see S. R. Shurpalekar)	Saunders, R. M. (see J. E. Bernardin) . 612
457	(see M. A. Connors) 488

Schulze, R. E. A note on an improved method of analysis for determining fat acidity in corn grits	relation of sample size to Hagberg falling number values
Shastry, B. S., and M. R. Raghavendra Rao. Chemical studies on rice bran lipase. 190 Shen, J. L. Soy protein solubility: The effect of experimental conditions on the solubility of soy protein isolates. 902 Shinya, M. (see G. Noguchi) 72 Shogren, M. D. (see O. K. Chung) 615 (see S. K. Patil) 347 (see S. K. Patil) 505 Shotwell, O. L. (see E. B. Lillehoj) 505 Shuey, W. C. Influence of wheat cultivars and environment on Agtron values and flour ash 429 (see J. W. Dick) 910 (see M. Hayashi) 525 (see C. A. Watson) 803 Shurpalekar, S. R., and C. Prabhavathi.	Vaisey, M. (see E. Hoehn)
Brabender farinograph, research extensometer, and Hilliff chapatti press as tools for standardization and objective assessment of chapatti dough	Wall, J. S. (see F. R. Huebner)
Tanaka, K., M. Ogawa, and Z. Kasai. The rice scutellum: Studies by scanning electron microscopy and electron microprobe X-ray analysis	Woodbury, W. (see K. R. Preston) 180 Woolard, G. R., L. Novellie, and S. J. Van Der Walt. Note on the isolation of sorghum husk polysaccharides and fractionation of hemi- cellulose

nitrogen fertilizer on nitrogen fractions of wheat and flour	Yang, S. P. (see C. E. Castro)
SUBJEC	ΓINDEX
	n
Aflatoxin contamination and fluorescence in corn infected with Aspergillus flavus before harvest (Lillehoj et al.)	effects of dough formation and baking on iron enrichment of bread, studied by electron paramagnetic resonance (Windle et al.)
Air classification carbohydrates of air-classified flours (MacArthur and D'Appolonia) 916 of barley malt (Pomeranz et al.) 956 of dry-milled grain; protein and amino acid compositions of (Stringfellow et al.) 51	Ritchie)
of field peas and horsebean flours (Vose et al.)	amino acid composition, protein distribu- tion, and weight distribution on spike (Pomeranz et al.)
Amino acids and protein changes in infected peanuts (Cherry and Beuchat)	α-amylase synthesis, and α-amylase iso- enzymes (MacGregor)
α-Amylase in air-classified malt (Pomeranz et al.)	(Lolas et al.)
805 synthesis in barley distal half-seeds, and isoenzyme pattern (MacGregor) 792	Bran comparison of bran and endosperm pentosans in immature and mature wheat

(D'Appolonia and MacArthur) 711 composition and digestibility from pearled wheat (Fellers et al.) 308 rice bran protein concentrates (Connor et al.) 488	(Reiners and Howland)
Bread and breadmaking absorption of iron from, by rats (Miller)	high-lysine maize; physical properties and biological evaluation of (Van Twisk et
baking studies on pin-milled and air- classified flour from hard red spring wheat (Hayashi et al.)	al.)
yeast-leavened; rice flour for (Nishita et al.)626	tions of (Bennett et al.)299
	Cottonseed; removal of pigment glands from (Gardner et al.)549
changes, in maturing peanut seeds (Basha et al.)	Dehulling; sorghum and millet (Reichert and Youngs)
wheat, and yeast via alcohol fermentation (Satterlee et al.)	Enzymes albumin α-amylase inhibitors from wheat flour (DePonte et al.)

changes in polyphenol oxidases of wheat during kernel growth and maturation (Kruger)	correlation between flour streams characteristics (Noguchi et al.)
physicochemical characterization of barley lipoxygenase (Lulai and Baker) 777 protein isolates; gelation parameters of enzymatically modified (Pour-El and Swenson)	mercuric chloride-solubilized gel proteins in (Cole et al.)
Goforth, D. R., and K. F. Finney (Vol. 53, p. 610)	wheat; baking studies on (Hayashi et al.) 525 proteins; heat-processing effects on (Hansen and Johnston) 656 quality; the relation of wheat nitrate reductase and soil nitrate to (Walsh et al.) 69 rice, for breadmaking (Nishita et al.) 626 soy-fortified wheat-flour blends, incom-
Fababean flours; seed coat effects on color and flavor (Hoehn et al.)	plete (Mecham et al.)
esters; differences in fat absorption by doughnuts (McComber and Miller) 101 physicochemical characterization of barley lipoxygenase (Lulai and Baker) 777 Fermentation; rate of production of carbon dioxide in dough (Hibberd and Parker) 338	Food for Peace products flour blend A (Bean et al.)
Fertilizer nitrogen; effects on malting quality of barley (Pomeranz et al.)	Genetics and breeding endosperm genetic mutants in corn (Boyer et al.)
production (Kissell and Lorenz) 233 ash and protein contents, relation between (Watson et al.)	Germination; of cereal grains; lysine and tryptophan increases during (Dalby and Tsai)

absence of carbohydrate in celiac-toxic Agliadin (Bernardin et al.)	Lipids blood and liver; effect of wheat mill-fractions in cholesterol-fed rats (Ranhotra et al.)
Insect damage; in corn before harvest (Lillehoj et al.)	Magnesium; bioavailability from wheat flour and various organic and inorganic salts (Ranhotra et al.)
infrared; evaluation of for determining protein content of hard red winter wheat (Watson et al.)	Malting; quality of nitrogen-fertilized barleys (Pomeranz et al.)
absorption from enriched wheat bread by rats (Miller)	penetration of water into wheat during tempering (Stenvert and Kingswood)
Kenkey; calcium and phytic acid (Amoa and Muller)	(Hibberd and Parker)

for purification of wheat-flour pentosans (Kim and D'Appolonia)	in corn feeds (Reiners and Howland) . 964 in rice scutellum; distribution analyzed by X-ray (Tanaka et al.)
improved; to determine fat acidity in corn grits (Schulze)	patulin in whole wheat bread (Reiss) . 150
and fractionation of hemicellulose B (Woolard et al.)	Nonfat milk; role in breadmaking (Ling et al.)
improved control of heating (Mälkki and Salminen)	Nutrition albumin α -amylase inhibitors from wheat flour (DePonte et al.)805
grain by proton activation (Dohan et al.)	effect of wheat mill-fractions on blood and liver lipids in cholesterol-fed rats (Ranhotra et al.)540
sunflower protein concentrates (Fan et al.)	in vitro digestibility of hydroxypropyl distarch phosphate and unmodified tapioca starches (Hood and Arneson)
number values (Tara and Bains) 28 removal of pigment glands from cottonseed (Gardner et al.)	of wild rice (Anderson)
review of methodology for emulsification properties of plant proteins (Puski)	evaluation of high-lysine maize (Van Twisk et al.)
scanning electron microscopy; preview tech- nique (Lin et al.)	peanuts (Cherry and Beuchat) 750
catalase in wheat (Kruger) 796	
sponge-cake testing, cookie testing, Japanese-type wet noodle testing, and testing wheat suitability for Japanese products (Nagao et al.)	phytic acid-total phosphorus relationship in (Lolas et al.)
Daigger)20	
Milling baking studies on pin-milled, air-classified flours from hard red spring wheat (Hayashi	Peanuts changes in free amino acids, carbohydrates, and proteins of maturing peanut seeds (Peanut seeds)
et al.)	(Basha et al.)
methyl bromide fumigation, effect of high	Pearl millet
dosages on breadmaking quality and germination of wheat (Minett et al.) . 41 physical properties and biological evalua-	amino acid analysis, lipid composition, and prolamine solubility (Badi et al) 478 characterization of starch, and use of flour
tion of high-lysine maize (Van Twisk et al.)	in breadmaking (Badi et al.)
(Tellers et al.)	Pentosans; wheat-flour; purification of (Kim
Minerals	and D'Appolonia)
composition of; in developing wheat, rye,	Ph
and triticale (Lorenz and Reuter) 683 in air-classified malt (Pomeranz et al.)	Phytic acid binding to glycinin (Okubo et al.) 513
956	-total phosphorus relationship in barley,

oats, soybeans, and wheat (Lolas et al.)	(Okubo et al.)
Proteins	291
	soy protein solubility (Shen) 902
albumin α-amylase inhibitors from wheat	
flour (DePonte et al.)805	wheat; fractionation and comparison of
analysis of in grain, by proton activation	fractions to mixing and baking quality
(Dohan et al.)91	(Huebner and Wall)
and amino acid changes in infected peanuts	
(Cherry and Beuchat)	
and ash in flour, relation between (Watson	
et al.)	Rice
bodies, isolated from selected cereals;	bran lipase, chemical studies (Shastry and
biochemical properties and ultrastructure	Raghavendra Rao)190
of (Adams et al.)1	bran protein concentrates (Connor et al.)
changes, in maturing peanut seeds (Basha	
et al.)586	bread from rice flour (Nishita et al.) . 626
concentrates from rice bran (Connor et al.)	breakage; influence of kernel thickness and
	variety (Matthews and Spadaro) 13
concentrates; prepared from distillers'	canned; improved shelf-life of (Rutledge
wheat, corn, and yeast by-products	and Islam)
(Satterlee et al.)	heat of swelling (Kanemitsu and Miyagawa)
content in barleys from the world collection	
	821
(Pomeranz et al.)	kinetics of batch drying of deep-bed rough
content of hard red winter wheat;	rice using dimensional analysis (Kachru
determined by infrared instruments	and Matthes)
(Watson et al.)214	limited moisture canning of; effects of
content of malting barleys (Pomeranz et al.)	cross-linking (Rutledge and Islam) 982
	milled; measurement of size and size distri-
corn, studies on (Misra et al.) 699, 705	bution (Stermer and Daigger) 20
cottonseed protein concentrate; bread-	scutellum; studies by scanning electron
baking properties of (Khan et al.) 388	microscopy and X-ray analysis (Tanaka et
distribution in cota (Vounce and Cilchairt)	
distribution in oats (Youngs and Gilchrist)	al.)
	wild, nutrition of (Anderson) 949
emulsification properties of plant proteins	
(Puski)	Rye
gelation parameters of enzymatically	mineral composition of (Lorenz and Reuter)
modified soy protein isolates (Pour-El and	
Swenson)	vitamins in (Michela and Lorenz) 853
glutenin in developing wheat grain (Khan	,
and Bushuk)	
improvement of its quality in pasta products	
	6 1 1
(Molina et al.)	Scanning electron microscopy
in barley during kernel development	biochemical properties and ultrastructure of
(Brandt) 890	protein bodies isolated from selected
in barley kernels (Pomeranz et al.) 839	cereals (Adams et al.)
in field peas and horsebean flours (Vose et	characterization of cryomilled wheat flour
al.)928	(Fan et al.)979
mercuric chloride-solubilized gel proteins in	of pearl millet (Badi et al.) 478
wheat flour (Cole et al.)250	on rice scutellum (Tanaka et al.) 643
new techniques for preparation of improved	preview technique (Lin et al.) 153
	preview technique (Lin et al.)155
sunflower protein concentrates (Fan et al.)	6 1 1 111 6
	Solubility; of soy protein isolates (Shen)
nitrogen fertilization effect (Wu and	
McDonald)242	
quality, in wheat diets (Landes and Miller)	Sorghum
	isolation of sorghum husk polysaccharides
solubility of pearl millet prolamines (Badi	and fractionation of hemicellulose B
et al.)	(Woolard et al.)
	production of cookies from (Badi and
soybean; binding of phytic acid to glycinin	production of cookies from (badi and

Hoseney)	flour streams (MacArthur and D'Appolonia)
Soybeans	kinetic comparison of Streptomyces glucose
carbohydrates in the 11S globulin of (Koshiyama and Fukushima) 768 emulsification properties of plant proteins (Puski)	isomerase (Lloyd and Khaleeluddin)
phytic acid-total phosphorus relationship	effect in rice bread (Nishita et al.) 626
in (Lolas et al.)	effect of type of fat on starch pastes con-
protein; gelation parameters of enzymatical-	taining glycerol monostearate (Orthoefer)
ly modified isolates (Pour-El and	
Swenson)	sodium dodecyl sulfate-polyacrilamide gel
protein; supplemented by liquid cyclone	electrophoresis of glutenin in developing
processed cottonseed flour (Castro et al.)	wheat grain (Khan and Bushuk) 566
	sodium stearoyl-2-lactylate in stored
solubility of soy protein isolates (Shen)	products II (Bean et al.) 397
902	sodium stearoyl-2-lactylate in stored
	products III (Mecham et al.) 405
Starch	sodium stearoyl-2-lactylate; protein-fort-
amylose percentage changes and granule	fied flour blend A containing (Bean et al.)
size changes, during kernel development	sucrose esters (improved): purification,
(Boyer et al.)	characterization, and functionality (Chung
barley, self-liquefying (Goering and Eslick)	et al.)
breadmaking properties of wheat-flour non-	c. us.,
polar lipids (DeStefanis and Ponte) . 636	
chemical studies of starch and protein	
fractions of field peas and horsebean flours	Triticale
(Vose et al.)928	flour; performance of, in cookies and cakes
corn, waxy maize, tapioca; ultrastructure of	(Kissell and Lorenz)
gelatinized unmodified and modified	mineral composition in (Lorenz and Reuter)
starch (Chabot et al.)85	
effect of type of fat on starch pastes con- taining glycerol monostearate (Orthoefer)	protein and amino acid compositions of dry- milled and air-classified triticale grain (Stringfellow et al.)
	vitamins in (Michela and Lorenz) 853
in vitro digestibility of hydroxypropyl	vitamins in (whencia and Eorenz) 655
distarch phosphate and unmodified tapioca starch (Hood and Arneson) . 282	
in wheat-flour diets (Landes and Miller)	
	Vitamins
of endosperms possessing different alleles at	in corn feeds (Reiners and Howland) . 964
the amylose-extender locus in Zea mays L.	in triticale, wheat, and rye (Michela and
(Garwood et al.)355	Lorenz)853
Starras	
Storage	****
stability of complete soy-fortified wheat- flour blends (Bean et al.)397	Wheat
stability of incomplete soy-fortified wheat-	a protein concentrate from wheat, corn, and
flour blends (Mecham et al.) 405	yeast obtained by alcohol fermentation (Satterlee et al.)
stability of protein-fortified flour blend A	α -amylase; purification and properties of
containing sodium stearoyl-2-lactylate	(Marchylo et al.)157
(Bean et al.)	autoradiographic demonstration of the
	penetration of water into wheat during
Sugar	tempering (Stenvert and Kingswood)
analyses; in pin-milled and air-classified	141

comparison of protein fractions in a number
of varieties (Huebner and Wall) 258
computerized method for evaluating durum
wheat quality (Dick and Shuey) 910
environmental influence on Agtron color
and ash (Shuey)
flour; albumin α-amylase inhibitors from
(DePonte et al.)
flour; cryomilled (Fan et al.)979
flour, determination of azodicarbonamide
in (Weak et al.)
-flour diets (Landes and Miller) 678
flour; relation between ash and protein
contents of (Watson et al.) 803
flour streams, sugars in (MacArthur and
D'Appolonia) 916
gliadins; separation and properties of
(Preston and Woodbury)180
glutenin in developing wheat grain (Khan
and Bushuk) 566
hard red spring; baking studies on flour
from (Hayashi et al.)
high falling number values of Indian wheats;
interrelations of ground wheats and milled
flours (Tara and Bains)
immature and mature; comparison of bran
and endosperm pentosans in (D'Appolonia
and MacArthur)711
inactivation of patulin in whole wheat
bread (Reiss)
methyl bromide fumigation, effect of high

dosages on breadmaking quality and germination of wheat (Minett et al.) . 41
mill-fractions; their effect on blood and liver
lipids of cholesterol-fed rats (Ranhotra et
al.)540
mineral composition in (Lorenz and Reuter)
nitrogen, protein, and nonprotein fractions
(Wu and McDonald)242
pearled; composition of (Fellers et al.)
phytic acid-total phosphorus relationship
in (Lolas et al.)
polyphenol oxidases of; changes during ker-
nel growth and maturation (Kruger). 201
purification of wheat-flour pentosans (Kim
and D'Appolonia)
relation of wheat nitrate reductase and soil
nitrate to flour quality (Walsh et al.)
semiautomated method for catalase activity
(Kruger)
soft; quality characteristics of, and use
of in Japan (Nagao et al.) 988
vitamins in (Michela and Lorenz) 853

Zearalenone; distribution of contamination in corn (Bennett et al.)299